

**PARKING STANDARDS 1999, THE PLANNING CENTRE,
DEPARTMENT OF THE ENVIRONMENT, UK.**

Parking Standards - Non Residential

USE CLASS ²	DESCRIPTION	CYCLE PARKING STANDARD
Class A1: Shops	Food retail	Minimum of 2 per unit or 1 per 500m ² GFA which ever is the greater
	Non food retail	Minimum of 2 per unit or 1 per 500m ² GFA which ever is the greater
Class A2: Financial Professional & Other Services	Offices and services appropriate to provision in a shopping area where these are principally to serve visiting members of the public	Minimum of 2 per unit
Class B1: Business	Class B1 Offices	Minimum of 2 per unit or 1 per 20 staff whichever is the greater
	Call centres	Minimum of 2 per unit or 1 per 20 staff whichever is the greater
Class B2: Light Industrial and	<250 m ² GFA	Minimum of 2 per unit
Class B3: General Industrial	>250 m ² GFA	Minimum of 2 per unit or 1 per 500m ² GFA which ever is the greater
Class B4: Storage or Distribution	Storage or Distribution Centre	Minimum of 2 per unit or 1 per 1000m ² GFA whichever is the greater
Class C2: Guest Houses	Boarding or guest house or as a hostel where, in each case, no significant element of care is provided	Minimum of 2 per unit
Class C3: Residential Institutions	Hospital or Nursing Home	1 per 10 staff
	Residential School, College or Training Centre Sheltered Accommodation for the elderly and/or people with disabilities	1 per 10 staff
Class D1: Community and Cultural Uses	Nursery schools Day nurseries Pre school play groups	Minimum of 2 per unit
	Primary Schools	1 per 10 students
	Secondary Schools	
	Further Education	
	Libraries Art Galleries Museums	Minimum of 10 per unit
	Health Centres, Doctors' Surgeries Day Clinics, Dentists, Surgeries, Veterinary Surgeries	Minimum of 2 per unit
Class D2: Assembly and Leisure	Theatres, Cinemas, Concert Halls, Dance Halls and Bingo Halls	Minimum of 10 per unit
No Specific Class 'Sui Generis'	<250 m ² GFA	Minimum of 2 per unit
	>250 m ² GFA	Minimum of 2 per unit or 1 per 500m ² GFA which ever is the greater
Class B4: Storage or Distribution	Storage or Distribution Centre	Minimum of 2 per unit or 1 per 1000m ² GFA whichever is the greater

²Use Class as defined in the Planning (Use Classes) Order (Northern Ireland) 2004.